Google Scholar

graph node edge analysis OR analyze OR an

Search

Scholar All articles - Recent articles Results 1 - **10** of about **12,500** for graph node edge analysis OR analyze OR analyzing OR model OR modeling "eve

| 1996 | - | 2002 |

All Results

S Yemini
A Corradini
R Alur
O Sheyner
M Doar

A graph-based system for network-vulnerability analysis

C Phillips, LP Swiler - Proceedings of the 1998 workshop on New security paradigms, 1998 - portal.acm.org
... v, then we call **node** u the tail of the **edge** and **node** v the head of the **edge**. We
now describe how the attack **graph** could be generated by building backwards ...
Cited by 113 - Related Articles - Web Search

High speed and robust event correlation - all 3 versions »

SA Yemini, S Kliger, E Mozes, Y Yemini, D Ohsie - Communications Magazine, IEEE, 1996 - ieeexplore.ieee.org
... The detailed knowl- **edge** required to **analyze events** ... processing among multiple
cooperating **event** manager **nodes**. ... captured to enable automated **event analysis** in a ...
Cited by 184 - Related Articles - Web Search

[PS] Algebraic approaches to graph transformation. Part I: Basic concepts and double pushout approach - all 8 versions »

A Corradini, U Montanari, F Rossi, H Ehrig, R ... - Handbook of Graph Grammars and Computing by **Graph** ..., 1997 - informatik.uni-bremen.de
... the **edge** 3 without a source vertex, ie, the result would no longer be a **graph**. ... We
may either delete the **edge** 3 together with its source **node**, as in ...
Cited by 277 - Related Articles - View as HTML - Web Search

Event detection and analysis from video streams - all 10 versions »

G Medioni, I Cohen, F Bremond, S Hongeng, R ... - Pattern **Analysis** and Machine Intelligence, IEEE Transactions ..., 2001 - ieeexplore.ieee.org
... in frames IPR and IPT through the **graph** representation ... a set of attributes is associated
to each **node**, as illustrated ... 5. We assign to each **edge** a cost which is ...
Cited by 93 - Related Articles - Web Search

Model Checking of Message Sequence Charts - all 10 versions »

R Alur, M Yannakakis - CONCUR'99: Concurrency Theory: 10th International Conference ..., 1999 - books.google.com
... an MSC M containing a single send-receive **edge**; send-**event** ... H of size m, each of which
nodes is labeled ... of a specific form in the hierarchical **graph**, and using ...
Cited by 185 - Related Articles - Web Search

[PDF] Automated generation and analysis of attack graphs - all 9 versions »

O Sheyner, J Haines, S Jha, R Lippmann, JM Wing - Proceedings of the 2002 IEEE Symposium on Security and ..., 2002 - pages.cs.wisc.edu

Google

srg analysis graph node edge	Search	Advanced Search
		Preferences

Web   Books   Results **1 - 10** of about **850** for **srg analysis graph node edge**. (0.29 seconds)

Graph-Theoretic Concepts in Computer Science: 31st International ... - Google Books Result
by Dieter Kratsch - 2005 - Mathematics - 470 pages
For a given critical clique **graph** CC(G) = (Vc,Ec), Algorithm **SRG** ... an **edge** e in common
with another maximal clique K', then the **node** in the output **graph** ...
books.google.com/books?isbn=3540310002...

Document Retrieval System Tolerant of Segmentation Errors of ...
grammar (**SRG**) for the notation of keywords. It should ... **graph edge** on DAG,. ns. ,. gs. :.
start **graph node** of corresponding **edge**, ...
ieeexplore.ieee.org/iel5/9414/29882/01363924.pdf?arnumber=1363924 -
Similar pages - Note this

[PDF] COPYRIGHTED MATERIAL
File Format: PDF/Adobe Acrobat - View as HTML
Routing **graph** transformation, 114. Routing metric, 140. Routing with express links, ... **SRG**
failure resilient networks, 70. **SRG**-and-**node** disjoint routes, 70 ...
media.wiley.com/product_data/excerpt/59/04700156/0470015659-2.pdf -
Similar pages - Note this

Microprocessors and Microsystems : Genetic algorithm driven ...
This representation enables each **node** (hardware candidate) to be linked with .... The
locations of the weights in **SRG graphs** are also illustrated in Fig. 8. ...
linkinghub.elsevier.com/retrieve/pii/S0141933101001193 - Similar pages - Note this

[Paper] Combining Stereo Vision with Topological Constraints to ...
In this work the surface recovery **graph** (**SRG**) data structure, ... Two **nodes** whose
neighbouring surfaces come together at an **edge** are connected by an ...
www.actapress.com/PDFViewer.aspx?paperId=26945 - Similar pages - Note this

[PS] Supporting CAE Parallel Computations with IE-**Graph** Solid ...
File Format: Adobe PostScript - View as Text
Information provided by **node** and **edge** labels is of topological nature. ..... **SRG** (Solid
Representation **Graph**) structure. In general, it consists in ...
www.emis.de/journals/JGG/1.1/j1h1flas.ps.gz - Similar pages - Note this

Coined Quantum Walks Lift the Cospectrality of **Graphs** and Trees
under permutations of the **node** and **edge** labels. The Grover matrices, G .... non-
isomorphic **SRG** exist. Such **graphs** cannot be distinguished using standard ...
www.springerlink.com/index/k67xm06t40q40rm1.pdf - Similar pages - Note this

A **graph** based framework for the implementation of visual environments
colour for the MSC **node** indicates that it is a common con-. text **node** of the production's ...
for the reverse direction of generating a **SRG graph** out of ...
doi.ieeecomputersociety.org/10.1109/VL.1996.545281 - Similar pages - Note this

[PDF] Integrating Region Distribution and **Edge** Detection for Color Image ...
File Format: PDF/Adobe Acrobat
Seeds generation is essential and important in **SRG**. The values of **nodes** in binary tree
are ... **Edge** is important information of **analysis** of image. objects. ...
140.134.132.124:8080/dspace/bitstream/2377/1586/1/ce07ics002004000132.pdf -
Similar pages - Note this

[PDF] Heuristics for the Automatic Identification of Irregularities in ...

Google Scholar

| srg graph node edge | 1996 | - | 2002 | Search | Ad Sc Sc |

Scholar   All articles - Recent articles Results **1 - 10** of about **79** for **srg graph node edge** . (0.10 sec

All Results

M Minas

J Rekers

R Ramamurthy

S Chaudhuri

A Schurr

A graph based framework for the implementation of visual environments - all 9 versions »
J Rekers, A Schurr - IEEE Symp. on Visual Languages, 1996 - doi.ieeecs.org
... a certain abstract notion, the cor- responding **SRG** rule will ... productions for MSC
spatial relations **graphs** tially consists ... it is a common con- text **node** of the ...
Cited by 65 - Related Articles - Web Search

How to Represent a Visual Specification - all 3 versions »
M Andries, G Engels, J Rekers - Visual Language Theory, 1998 - books.google.com
... This string "mU" is stored in the **graph** as **node** attribute of the text **node** with
identifier ... The derived constraints As mentioned before, an **SRG** can be ...
Cited by 19 - Related Articles - Web Search

Efficient register and memory assignment for non-orthogonal architectures via graph coloring and MST ... - all 4 versions »
J Cho, Y Paek, D Whalley - Proceedings of the joint conference on Languages, compilers
..., 2002 - portal.acm.org
... undi- rected **graph**, which we called the simultaneous reference **graph** (**SRG**). The
graph contains variables referenced in the code as **nodes**. An **edge** = (Ú , Ú ...
Cited by 22 - Related Articles - Web Search

Genetic algorithm driven hardware–software partitioning for dynamically reconfigurable embedded ... - all 3 versions »
J Harkin, TM McGinnity, LP Maguire - Microprocessors and Microsystems, 2001 - Elsevier
... expressed by the weighted **edge** connecting **node** j and k ... the method of evaluating the
SRG for sequences ... The algorithm propagates through the **graph** calculating the ...
Cited by 16 - Related Articles - Web Search

Defining and Parsing Visual Languages with Layered **Graph** Grammars - all 4 versions »
J REKERS, A SCHÜRR - Journal of Visual Languages and Computing, 1997 - Elsevier
... The **SRG** and the ASG representations of a visual ... that a restriction to context-free
graph grammar productions ... consists of a single non-terminal **node**) makes it ...
Cited by 100 - Related Articles - Web Search

[PS] Concepts and realization of a diagram editor generator based on hypergraph transformation - all 7 versions »
M Minas - Science of Computer Programming, 2002 - informatik.uni-erlangen.de
... almost a one-to-one relationship between **SRG** ... Each **node** of this sequence is called
"visited ... Familiar directed **edge**-labeled **graphs** are special hypergraphs where ...
Cited by 69 - Related Articles - View as HTML - Web Search

[PDF] Towards rule-based visual programming of generic visual systems - all 15 versions »
B Hoffmann, M Minas - Arxiv preprint cs.PL/0010016, 2000 - arxiv.org
... to specific relationship **edges** between the **nodes** of the ... is performed in two steps:
The **SRG** is first reduced to a more condensed **graph** (reduced **graph**, RG ...
Cited by 10 - Related Articles - View as HTML - Web Search

Color image retrieval using shape and spatial properties - all 2 versions »

Google Scholar

| srg graph node edge analysis OR analyze OF | 1996 | – | 2002 | Search |

Scholar " **All articles** – **Recent articles** Results 1 - 10 of about **46** for **srg graph node edge analysis OR analyze OR analyzing OR model OR modeling "eve**

All Results

. A Schurr
J Rekers
S Sengupta
X Deng
R Ramamurthy

A **graph** based framework for the implementation of visual environments – all 9 versions »
J Rekers, A Schurr - IEEE Symp. on Visual Languages, 1996 - doi.ieeecs.org
... s nor tool specific editing activities on **SRG**'s may ... we should mention that derived
node attributes may ... ator which is based on (hyper-)**graph** grammars (**graph** ...
Cited by 65 - Related Articles - Web Search

How to Represent a Visual Specification – all 3 versions »
M Andries, G Engels, J Rekers - Visual Language Theory, 1998 - books.google.com
... message "mU." This identifier "mU" is stored in the **graph** as **node** attribute of ... ASG
for is far more abstract than the corresponding **SRG** and specifies ...
Cited by 19 - Related Articles - Web Search

A Java based system for specifying hierarchical control flow **graph** models – all 7 versions »
T Daum, RG Sargent - Proceedings of the 29th conference on Winter simulation, 1997 - portal.acm.org
... Type button while the root **node** is selected ... contains the simulator, and package
srg.util contains ... System for Specifying Hierarchical Control Flow **Graph** Models ...
Cited by 9 - Related Articles - Web Search

[PS] **Modeling** queueing systems using hierarchical control flow **graph** models - all 7 versions »
RG Sargent - MATH COMPUT SIMUL, 1997 - cis.syr.edu
... encapsulated **model** element that has an augmented directed **graph** where the **nodes**
are control ... The condition species when an **edge** can become a candidate for ...
Cited by 11 - Related Articles - View as HTML - Web Search

Hypergraphs as a Uniform Diagram Representation **Model** – all 10 versions »
M Minas - ... and Application of **Graph** Transformations: 6th International ..., 2000 - books.google.com
... is to match **graphs** for each intersection **edge**. ... interface hypergraph consists of the
nodes 1 and 2 ... diagrams: the spatial relationship **graph** (**SRG**) abstracts from ...
Cited by 16 - Related Articles - Web Search

... a web-ready HiMASS: facilitating collaborative, reusable, and distributed **modeling** and execution of ...
TS Daum, RG Sargent - Proceedings of the 34th conference on Winter simulation. ..., 2002 - portal.acm.org

Web   Images   Maps   News   Shopping   Mail   more ▾   **seasounds@juno.com** | My Account | Sign out

Google

[event log (model or analysis or analyze) (scen]   Search   Advanced Search
Preferences

Try uppercase "OR" to search for either of two terms. [details]

Web Results **1 - 10** of about **457,000** for <u>event log</u> (**model** or <u>analysis</u> or <u>analyze</u>) (scenerio or <u>script</u>). (0.31 s

Log Analysis and Tuning with Microsoft Speech Server 2004
Logging configurations are set on the server using the MSSLogConfig
script. For more details, see the Configuring **Event** Logging topic in the
Log Analysis ...
msdn2.microsoft.com/en-us/library/ms994626.aspx - 58k -
Cached - Similar pages - Note this

Use autonomic computing for problem determination
It can also perform **analysis** and execute **scripts** to make changes to
the system ..... "The problem determination **log**/trace **scenario** guide"
contains more ...
www.ibm.com/developerworks/autonomic/library/ac-able/ - 61k -
Cached - Similar pages - Note this

[PDF] Instrumentation for Linux Event Log Analysis 1 Introduction
File Format: PDF/Adobe Acrobat - View as HTML
script that is executed. Every client that has regis-, tered to be notified
has an entry in the ... the **event log analysis** mechanism and use the
model ...
evlog.sourceforge.net/iela.pdf - Similar pages - Note this

Tenable Network Security: Log Analysis
If **event analysis** seems interesting to you, all Tenable TASL **scripts**
are available .... Tenable's Correlation **Model** in General. The stats
engine for **log** and ...
blog.tenablesecurity.com/**log_analysis**/index.html - 87k -
Cached - Similar pages - Note this

Digital Investigation : Automated Windows event log forensics ...
Keywords: Computer forensics; Windows XP; **Event** logs; **Log
analysis**; Automation; Process **models**; Requirements; Tool
development. Article Outline ...
linkinghub.elsevier.com/retrieve/pii/S174228760700045X -
Similar pages - Note this

eValid -- Web Application Mapping/Testing/Loading/Tuning/Analysis ...
Bonus LoadTest, Regression Testing, Site **Analysis** Applications ...
eValid Record/Play showing **script**, **eventlog**, dashboard, green
playback summary, and ...
www.soft.com/eValid/Promotion/FunctionalTesting/general.html - 11k -
Cached - Similar pages - Note this

[PPT] MobiCS: An Environment for Prototyping and Simulating Distributed ...
File Format: Microsoft Powerpoint - View as HTML
This **script** describes a specific **scenario** (i.e. pattern of .... Implementation of a tool for
prototyping and **analysis** of distributed protocols ⊓ MobiCS ...
www-di.inf.puc-rio.br/~endler/talks/mwcn.ppt - Similar pages - Note this

Scenario-based requirements analysis
Goal **Analysis**. Goals in the **scenario** structure **model** are compared ... Using the **scenario**
script, for each inbound **event**. ascertain: ...
www.springerlink.com/index/JW76516N334G8241.pdf - Similar pages - Note this

Creating realistic BGP **models** - Modeling, **Analysis** and Simulation ...
An experimental **analysis** of BGP. convergence time. In Proceeding of the 9th International.
Conference on Network Protocols, Nov. 2001. ...
ieeexplore.ieee.org/iel5/8783/27814/01240643.pdf - Similar pages - Note this

[PDF] Meet the HP Superdome servers
File Format: PDF/Adobe Acrobat - View as HTML
HP Compliance **Log** Warehouse:. The **Event Analysis** and Retention Dilemma .....
Example: A hospital uncovered a risk **scenario** related to leakage of its VIP ...
h20223.www2.hp.com/NonStopComputing/downloads/
HP_Compliance_**Log**_Warehouse_White_Paper_061807.pdf - Similar pages - Note this

1 2 3 4 5 6 7 8 9 10   **Next**

| event log (model or analysis or anal | Search |

Google

| SRG graphs | Search | Advanced Search
Preferences |

Web   Books

Results **1 - 10** of about **14,000** for **SRG graphs**. (0.26 seconds)

OCRed document
The spatial relations **graph (SRG)** describes the struc-. ture of the diagram seen as a
picture; ..... productions describe a language of **SRG graphs** also, and ...
ieeexplore.ieee.org/iel3/3922/11360/00545281.pdf?arnumber=545281 - Similar pages

A **graph** based framework for the implementation of visual environments
for the reverse direction of generating a **SRG graph** out of ... that the original language of
SRG graphs is a subset of this. language only. ...
doi.ieeecomputersociety.org/10.1109/VL.1996.545281 - Similar pages

[PDF] arXiv:math.CO/0602071 v1 4 Feb 2006 Algorithmic aspects of ...
File Format: PDF/Adobe Acrobat - View as HTML
Now, instead of testing isomorphism of two **(SRG) graphs** G, H, we can. test for existence
of suitable permutation of vertices of **graph** H such that ...
arxiv.org/pdf/math.CO/0602071 - Similar pages

Microprocessors and Microsystems : Genetic algorithm driven ...
The **SRG** models the reconfiguration problem as a flow **graph** with weighted edges ..... The
locations of the weights in **SRG graphs** are also illustrated in Fig. ...
linkinghub.elsevier.com/retrieve/pii/S0141933101001193 - Similar pages

Combinatorial Data
SRG(36,14,4,6) (180 **graphs**) **SRG**(36,15,6,6) (32548 **graphs**, gzipped). These come in
227 switching classes, one for each regular two-**graph** of order 36. ...
cs.anu.edu.au/~bdm/data/graphs.html - 8k - Cached - Similar pages

Strongly regular **graph** - Wikipedia, the free encyclopedia
There are two kinds of strongly regular **graph**. If N = 0, then we have an **srg**(v, (v−1)/2,
(v−5)/4, (v−1)/4). This kind is called a conference **graph** ...
en.wikipedia.org/wiki/Strongly_regular_graph - 21k - Cached - Similar pages

Strongly Regular **Graphs**
Associated with the (36,15,6,6) **graphs** are those on 35 vertices obtained by isolating a
vertex by switching and deleting it. The resulting **graphs** are **srg's** ...
www.maths.gla.ac.uk/~es/srgraphs.html - 6k - Cached - Similar pages

Graph-Theoretic Concepts in Computer Science: 31st International ... - Google Books Result
by Dieter Kratsch - 2005 - Mathematics - 470 pages
F-free and chordal critical clique **graph** indeed has a 2-Steiner root by using Algorithm **SRG**
(Fig. 2). This algorithm extends a method by Lin et al. ...
books.google.com/books?isbn=3540310002...

[PDF] Structured Region **Graphs**: Morphing EP into GBP
File Format: PDF/Adobe Acrobat - View as HTML
A structured region **graph (SRG)** is a directed acyclic. **graph** of regions. ... class of SRGs
called EP-**graphs**. An EP-**graph** is a. two-layer **SRG** with multiple ...
research.microsoft.com/~minka/papers/srg/WellingMinkaTeh-SRG.pdf - Similar pages

srg.com - Traffic Details from Alexa